

# American Journal of Physiology: Renal Physiology

No. 1. JULY 1997

## INVITED REVIEW

Cellular and molecular mechanisms of renal peptide transport  
*H. Daniel and M. Herget*

F1

Induction of molecular chaperones by hyperosmotic stress in mouse inner medullary collecting duct cells

*M. I. Rauchman, J. Pullman, and S. R. Gullans*

F9

Cloning, expression, and regulation of rabbit cyclooxygenase-2 in renal medullary interstitial cells

*Y. Guan, M. Chang, W. Cho, Y. Zhang, R. Redha, L. Davis, S. Chang, R. N. DuBois, C.-M. Hao, and M. Breyer*

F18

Recombinant insulin-like growth factor I normalizes expression of renal glucose transporters in diabetic rats

*T. Asada, T. Ogawa, M. Iwai, K. Shimomura, and M. Kobayashi*

F27

Interactions of ultrapure bovine hemoglobin with renal epithelial cells in vivo and in vitro

*M. Somers, A. I. Piqueras, K. Strange, M. L. Zeidel, W. Pfaller, M. Gawryl, and H. W. Harris*

F38

Alterations in dopamine DA<sub>1</sub> receptor and G proteins in renal proximal tubules of old rats

*V. Kansra, T. Hussain, and M. F. Lokhandwala*

F53

Involvement of phospholipase A<sub>2</sub> in gentamicin-induced rat mesangial cell activation

*C. Martínez-Salgado, A. Rodríguez-Barbero, D. Rodríguez-Puyol, G. Pérez de Lema, and J. M. López-Novoa*

F60

Low permeabilities of MDCK cell monolayers: a model barrier epithelium

*J. P. Lavelle, H. O. Negrete, P. A. Poland, C. L. Kinlough, S. D. Meyers, R. P. Hughey, and M. L. Zeidel*

F67

Plasma membrane calcium ATPase isoform expression in cultured rat mesangial cells

*D. Rouse, J. Abramowitz, X. Zhou, T. Kamijo, J. Gonzalez, J. Wang, N. D. Vaziri, and W. N. Suki*

F76

Morphological heterogeneity of renal glomerular arterioles and distinct [Ca<sup>2+</sup>]<sub>i</sub> responses to ANG II

*C. de B. Helou and J. Marchetti*

F84

Calcitonin activates an Na<sup>+</sup>-independent HCO<sub>3</sub><sup>-</sup>-dependent pathway in the rabbit distal convoluted tubule

*G. Dagher, S. R. Thomas, N. Griffiths, S. Siaume-Perez, and C. Sauterey*

F97

The persistent effect of long-term enalapril on pressure natriuresis in spontaneously hypertensive rats

*S. A. W. Dukacz, M. A. Adams, and R. L. Kline*

F104

Phosphate transport in renal cell cultures of *gy* mice: evidence of a single defect in X-linked hypophosphatemia

*T. Nesbitt and M. K. Drezner*

F113

Osmo-mechanically sensitive phosphatidylinositol signaling regulates a Ca<sup>2+</sup> influx channel in renal epithelial cells

*R. G. O'Neil and L. Leng*

F120

Specific coupling of a cation-sensing receptor to G protein  $\alpha$ -subunits in MDCK cells

*J. M. Arthur, G. P. Collinson, T. W. Gettys, L. D. Quarles, and J. R. Raymond*

F129

Cysteine S-conjugates activate transcription factor NF- $\kappa$ B in cultured renal epithelial cells

*M. A. Otieno and M. W. Anders*

F136

Role of renal nerves and endogenous dopamine in amino acid-induced glomerular hyperfiltration

*B. Mühlbauer, F. Spöhr, R. Schmidt, and H. Osswald*

F144

Podocyte  $\alpha$ -actinin induction precedes foot process effacement in experimental nephrotic syndrome

*W. E. Smoyer, P. Mundel, A. Gupta, and M. J. Welsh*

F150

---

## MODELING IN PHYSIOLOGY

---

Modeling of progressive glomerular injury in humans with lupus nephritis

*J. B. Buckheit, R. A. Olshen, K. Blouch, and B. D. Myers*

F158

---

## RAPID COMMUNICATION

---

Immunohistochemical localization of ANG II AT<sub>1</sub> receptor in adult rat kidney using a monoclonal antibody

*L. M. Harrison-Bernard, L. G. Navar, M. M. Ho, G. P. Vinson, and S. S. El-Dahr*

F170

## No. 2. AUGUST 1997

### INVITED REVIEW

Mechanisms of chloride transport in the proximal tubule

*P. S. Aronson and G. Giebisch*

F179

---

Role of protein kinase C in  $\beta_2$ -adrenoceptor function in cultured rat proximal tubule epithelial cells

*H. Singh and S. L. Linas*

F193

Flow versus pressure in the control of renin release in conscious dogs

*B. Nafz, H. Berthold, H. Ehmke, E. Hackenthal, H. R. Kirchheim, and P. B. Persson*

F200

Unexpected protection of glomerular mesangial cells from oxidant-triggered apoptosis by bioflavonoid quercetin

*T. Yokoo and M. Kitamura*

F206

Downregulation of aquaporin-2 parallels changes in renal water excretion in unilateral ureteral obstruction

*J. Frøkjaer, B. M. Christensen, D. Marples, J. C. Djurhuus, U. B. Jensen, M. A. Knepper, and S. Nielsen*

F213

Adhesion of hydroxyapatite crystals to anionic sites on the surface of renal epithelial cells

*J. C. Lieske, R. Norris, and F. G. Toback*

F224

Expression of carbonic anhydrase IV in carbonic anhydrase II-deficient mice

*L. P. Brion, W. Cammer, L. M. Satlin, C. Suarez, B. J. Zavilowitz, and V. L. Schuster*

F234

Proximal tubular fluid, kidney, and plasma levels of angiotensin II in hypertensive ren-2 transgenic rats

*K. D. Mitchell, S. M. Jacinto, and J. J. Mullins*

F246

Posttranscriptional upregulation of Na<sup>+</sup>-K<sup>+</sup>-ATPase activity in newborn guinea pig renal cortex

*E. N. Guillory, D. J. Huss, A. A. McDonough, and L. C. Klein*

F254

Cloning of rat and mouse aquaporin-2 gene promoters and identification of a negative cis-regulatory element

*T. Rai, S. Uchida, F. Marumo, and S. Sasaki*

F264

Afferent arteriolar responses to ANG II involve activation of PLA<sub>2</sub> and modulation by lipoxygenase and P-450 pathways

*J. D. Imig and P. C. Deichmann*

F274

Role of Rho and myosin phosphorylation in actin stress fiber assembly in mesangial cells

*J. I. Kreisberg, N. Ghosh-Choudhury, R. A. Radnik, and M. A. Schwartz*

F283

Monoclonal antibodies for high-resolution localization of NHE3 in adult and neonatal rat kidney

*D. Biemesderfer, P. A. Rutherford, T. Nagy, J. H. Pizzonia, A. K. Abu-Alfa,  
and P. S. Aronson*

F289

---

#### SPECIAL COMMUNICATION

---

Inducible expression of *bcl-2* by the *lac* operator/repressor system in MDCK cells

*H.-H. Lin, T.-P. Yang, S.-T. Jiang, H.-S. Liu, and M.-J. Tang*

F300

---

#### RAPID COMMUNICATIONS

---

Membrane potential measurements in renal afferent and efferent arterioles: actions of angiotensin II

*R. Loutzenhiser, L. Chilton, and G. Trottier*

F307

Absence of tubuloglomerular feedback responses in  $AT_{1A}$  receptor-deficient mice

*J. B. Schnermann, T. Traynor, T. Yang, Y. G. Huang, M. I. Oliverio, T. Coffman,  
and J. P. Briggs*

F315

No. 3. SEPTEMBER 1997

#### INVITED REVIEW

Urea transporters in kidney and erythrocytes

*J. M. Sands, R. T. Timmer, and R. B. Gunn*

F321

---

Intracellular pH regulation in the rabbit cortical collecting duct A-type intercalated cell

*A. E. Milton and I. D. Weiner*

F340

High glucose stimulates expression of p27<sup>Kip1</sup> in cultured mouse mesangial cells: relationship to hypertrophy

*G. Wolf, R. Schroeder, F. N. Ziyadeh, F. Thaiss, G. Zahner, and R. A. K. Stahl*

F348

Differentiation and cell polarity during renal cyst formation in the Han:SPRD (ey/+) rat, a model for ADPKD

*N. Obermüller, N. Gretz, W. Kriz, F. J. van der Woude, R. F. Reilly, H. Murer,  
J. Biber, and R. Witzgall*

F357

Experimental bilateral urinary obstruction in fetal sheep: transforming growth factor- $\beta$ 1 expression

*A. A. Medjebeur, L. Bussieres, B. Gasser, V. Gimonet, and K. Laborde*

F372

Induction of calcyclin after ischemic injury to rat kidney

*A. J. P. Lewington, B. J. Padanilam, and M. R. Hammerman*

F380

Differential expression of transforming growth factor- $\beta$  receptors in rat kidney development

*M. E. Choi, A. Liu, and B. J. Ballermann*

F386

Acid-induced stimulation of  $Na^+$ - $P_i$  cotransport in OK cells: molecular characterization and effect of dexamethasone

*A. W. Jehle, J. Forgo, J. Biber, E. Lederer, R. Krapf, and H. Murer*

F396

Is the secretory K channel in the rat CCT ROMK?

*L. G. Palmer, H. Choe, and G. Frindt*

F404

Cloning of rat laminin  $\gamma 1$ -chain gene promoter reveals motifs for recognition of multiple transcription factors

*B. C. O'Neill, H. Suzuki, W. P. Loomis, O. Denisenko, and K. Bomsztyk*

F411

Phospholipase A<sub>2</sub> is involved in mediating the effect of extracellular  $Ca^{2+}$  on apical K<sup>+</sup> channels in rat TAL

*W. Wang, M. Lu, M. Balazy, and S. C. Hebert*

F421

Molecular configuration and glomerular size selectivity in healthy and nephrotic humans

*K. Blouch, W. M. Deen, J.-P. Fauvel, J. Bialek, G. Derby, and B. D. Myers*

F430

Pleiotropic upregulation of Na<sup>+</sup>-dependent cotransporters by retinoic acid in opossum kidney cells

*F. G. S. de Toledo, K. W. Beers, and T. P. Dousa*

F438

cAMP mediates homologous downregulation of PAF receptor mRNA expression in mesangial cells <i>A. Nakao, T. Watanabe, H. Bitoh, H. Imaki, T. Suzuki, K. Asano, S. Taniguchi, K. Nosaka, T. Shimizu, and K. Kurokawa</i>	F445
Importance of the mercury-sensitive cysteine on function and routing of AQP1 and AQP2 in oocytes <i>S. M. Mulders, J. P. L. Rijss, A. Hartog, R. J. M. Bindels, C. H. van Os, and P. M. T. Deen</i>	F451
Reduction in renin release and renal vascular resistance by H <sup>+</sup> -K <sup>+</sup> -ATPase inhibition <i>H. Lin and D. B. Young</i>	F457
EGF receptor ligands are a large fraction of in vitro branching morphogens secreted by embryonic kidney <i>H. Sakurai, T. Tsukamoto, C. A. Kjelsberg, L. G. Cantley, and S. K. Nigam</i>	F463

---

#### MODELING IN PHYSIOLOGY

A quantitative description of the Na-K-2Cl cotransporter and its conformity to experimental data <i>B. A. Benjamin and E. A. Johnson</i>	F473
---	------

---

#### RAPID COMMUNICATION

Atrial natriuretic peptide in preeclampsia: metabolic clearance, sodium excretion and renal hemodynamics <i>D. W. Irons, P. H. Baylis, T. J. Butler, and J. M. Davison</i>	F483
---	------

No. 4. OCTOBER 1997

#### INVITED REVIEW

Positional cloning of the PEX gene: new insights into the pathophysiology of X-linked hypophosphatemic rickets <i>M. J. Econs and F. Francis</i>	F489
---	------

---

Differential activities of H <sup>+</sup> extrusion systems in MDCK cells due to extracellular osmolality and pH <i>E. Feifel, M. Krall, J. P. Geibel, and W. Pfaller</i>	F499
--	------

PGE <sub>2</sub> -mediated cytoprotection in renal epithelial cells: evidence for a pharmacologically distinct receptor <i>T. J. Weber, T. J. Monks, and S. S. Lau</i>	F507
---	------

A conserved cytoplasmic region of ROMK modulates pH sensitivity, conductance, and gating <i>H. Choe, H. Zhou, L. G. Palmer, and H. Sackin</i>	F516
--	------

Heat shock-induced protection and enhancement of Na <sup>+</sup> -glucose cotransport by LLC-PK <sub>1</sub> monolayers <i>C. R. Sussman and J. L. Renfro</i>	F530
--	------

Cyclooxygenase-2 is expressed in bladder during fetal development and stimulated by outlet obstruction <i>J. M. Park, T. Yang, L. J. Arend, A. M. Smart, J. B. Schnermann, and J. P. Briggs</i>	F538
--	------

Peptide YY receptor distribution and subtype in the kidney: effect on renal hemodynamics and function in rats <i>C. A. Blaze, P. J. Mannon, S. R. Vigna, A. R. Kherani, and B. A. Benjamin</i>	F545
---	------

Apical ANG II-stimulated PLA <sub>2</sub> activity and Na <sup>+</sup> flux: a potential role for Ca <sup>2+</sup> -independent PLA <sub>2</sub> <i>B. N. Becker, H. F. Cheng, and R. C. Harris</i>	F554
--	------

Early role of Fsp1 in epithelial-mesenchymal transformation <i>H. Okada, T. M. Danoff, R. Kalluri, and E. G. Neilson</i>	F563
---	------

Lysophosphatidic acid: a novel growth and survival factor for renal proximal tubular cells <i>J. S. Levine, J. S. Koh, V. Triaca, and W. Lieberthal</i>	F575
Endothelin-1 increases rat distal tubule acidification in vivo <i>D. E. Wesson and G. M. Dolson</i>	F586
Effect of luminal angiotensin II on rabbit proximal convoluted tubule bicarbonate absorption <i>M. Baum, R. Quigley, and A. Quan</i>	F595
Immunolocalization of AE2 anion exchanger in rat kidney <i>S. L. Alper, A. K. Stuart-Tilley, D. Biemesderfer, B. E. Shmukler, and D. Brown</i>	F601
Cloning and characterization of maxi K <sup>+</sup> channel $\alpha$ -subunit in rabbit kidney <i>T. Morita, K. Hanaoka, M. M. Morales, C. Montrose-Rafizadeh, and W. B. Guggino</i>	F615

---

### MODELING IN PHYSIOLOGY

Nonlinear filter properties of the thick ascending limb <i>H. E. Layton, E. B. Pitman, and L. C. Moore</i>	F625
Spectral properties of the tubuloglomerular feedback system <i>H. E. Layton, E. B. Pitman, and L. C. Moore</i>	F635

---

### SPECIAL COMMUNICATIONS

A simplified method for isolation of large numbers of defined nephron segments <i>J. A. Schafer, M. L. Watkins, L. Li, P. Herter, S. Haxelmans, and E. Schlatter</i>	F650
Simultaneous recording of tissue ion content and blood flow in rat renal medulla: evidence on interdependence <i>J. Sadowski, E. Kompanowska-Jezierska, L. Dobrowolski, A. Walkowska, and B. Bądzyna</i>	F658

---

### RAPID COMMUNICATION

Cloning and localization of a double-pore K channel, KCNK1: exclusive expression in distal nephron segments <i>M. Orias, H. Velázquez, F. Tung, G. Lee, and G. V. Desir</i>	F663
--	------

## No. 5. NOVEMBER 1997

Perfusion pressure dependency of in vivo renal tubular dynamics <i>M. Rodriguez-Porcel, L. O. Lerman, P. F. Sheedy II, and J. C. Romero</i>	F667
Inhibition of PAH transport by parathyroid hormone in OK cells: involvement of protein kinase C pathway <i>J. Nagai, I. Yano, Y. Hashimoto, M. Takano, and K. Inui</i>	F674
Cl <sup>-</sup> and K <sup>+</sup> conductances activated by cell swelling in primary cultures of rabbit distal bright convoluted tubules <i>I. Rubera, M. Tauc, C. Poujeol, M. T. Bohn, M. Bidet, G. De Renzis, and P. Poujeol</i>	F680
The effects of respiratory alkalosis and acidosis on net bicarbonate flux along the rat loop of Henle in vivo <i>R. Unwin, R. Stidwell, S. Taylor, and G. Capasso</i>	F698
Recognition of $\beta$ -lactam antibiotics by rat peptide transporters, PEPT1 and PEPT2, in LLC-PK <sub>1</sub> cells <i>T. Terada, H. Saito, M. Mukai, and K. Inui</i>	F706
Attenuated response of renal mechanoreceptors to volume expansion in chronically hypoxic rats <i>C.-T. Chien, T.-C. Fu, M.-S. Wu, and C.-F. Chen</i>	F712
Expression of syntaxins in rat kidney <i>B. Mandon, S. Nielsen, B. K. Kishore, and M. A. Knepper</i>	F718

Zis: a developmentally regulated gene expressed in juxtaglomerular cells <i>E. A. Karginova, E. S. Pentz, I. G. Kazakova, V. F. Norwood, R. M. Carey, and R. A. Gomez</i>	F731
Localization of the ROMK protein on apical membranes of rat kidney nephron segments <i>J. Z. Xu, A. E. Hall, L. N. Peterson, M. J. Bienkowski, T. E. Eessalu, and S. C. Hebert</i>	F739
Localization of endothelin-converting enzyme-1 in human kidney <i>C. Pupilli, P. Romagnani, L. Lasagni, F. Bellini, N. Misciglia, N. Emoto, M. Yanagisawa, M. Rizzo, M. Mannelli, and M. Serio</i>	F749
Ureteric bud cells secrete multiple factors, including bFGF, which rescue renal progenitors from apoptosis <i>J. Barasch, J. Qiao, G. McWilliams, D. Chen, J. A. Oliver, and D. Herzlinger</i>	F757
An Arg-Gly-Asp peptide stimulates constriction in rat afferent arteriole <i>K.-P. Yip and D. J. Marsh</i>	F768
Systemic and renal hemodynamic changes in the luteal phase of the menstrual cycle mimic early pregnancy <i>A. B. Chapman, S. Zamudio, W. Woodmansee, A. Merouani, F. Osorio, A. Johnson, L. G. Moore, T. Dahms, C. Coffin, W. T. Abraham, and R. W. Schrier</i>	F777
Effect of cyclosporin A on the expression of tissue kallikrein, kininogen, and bradykinin receptor in rat <i>C. Wang, P. Ford, C. Chao, L. Chao, and J. Chao</i>	F783
cDNA cloning and localization of OCRL-1 in rabbit kidney <i>B. C. Erb, H. Velázquez, M. Gisser, C. A. Shugrue, and R. F. Reilly</i>	F790
Control of excretion of potassium: lessons from studies during prolonged total fasting in human subjects <i>S.-H. Lin, S. Cheema-Dhadli, M. Gowrishankar, E. B. Marliss, K. S. Kamel, and M. L. Halperin</i>	F796
Identification of a new gene product (diphor-1) regulated by dietary phosphate <i>M. Custer, B. Spindler, F. Verrey, H. Murer, and J. Biber</i>	F801
Effect of glandular kallikrein on distal nephron $\text{HCO}_3^-$ secretion in rats and on $\text{HCO}_3^-$ secretion in MDCK cells <i>P. Vallés, S. Ebner, W. Manucha, L. Gutierrez, and M. Marin-Grez</i>	F807
Determination of $\text{NH}_4^+/\text{NH}_3$ fluxes across apical membrane of macula densa cells: a quantitative analysis <i>M. A. Laamarti and J.-Y. Lapointe</i>	F817
Primary structure and functional expression of a cortical collecting duct $\text{K}_{ir}$ channel <i>P. A. Welling</i>	F825
Hypotonicity increases transcription, expression, and action of <i>Egr-1</i> in murine renal medullary mIMCD3 cells <i>Z. Zhang and D. M. Cohen</i>	F837

---

#### RAPID COMMUNICATION

A functional CFTR-NBF1 is required for ROMK2-CFTR interaction <i>C. M. McNicholas, M. W. Nason, Jr., W. B. Guggino, E. M. Schwiebert, S. C. Hebert, G. Giebisch, and M. E. Egan</i>	F843
--	------

#### No. 6. DECEMBER 1997

Effect of reversible and irreversible ischemia on marker enzymes of BBM from renal cortical PT subpopulations <i>S. J. Khundmiri, M. Asghar, F. Khan, S. Salim, and A. N. K. Yusufi</i>	F849
Ouabain reduces net acid secretion and increases $\text{pH}_i$ by inhibiting $\text{NH}_4^+$ uptake on rat tIMCD $\text{Na}^+/\text{K}^+$ -ATPase <i>S. M. Wall</i>	F857
Neurosteroid inhibition of cell death <i>S. L. Waters, G. W. Miller, M. D. Aleo, and R. G. Schnellmann</i>	F869

G protein mRNA expression in renal microvessels from spontaneously hypertensive and Wistar-Kyoto rats <i>R. Mokkapatti, S. J. Vyas, and E. K. Jackson</i>	F877
Regulation of adenylyl cyclase in polarized renal epithelial cells by G protein-coupled receptors <i>M. D. Okusa, L. Huang, A. Momose-Hotokezaka, L. P. Huynh, and A. J. Mangrum</i>	F883
Regulation of glomerular and proximal tubule renin mRNA by chronic changes in dietary NaCl <i>J. E. Tank, W. L. Henrich, and O. W. Moe</i>	F892
Heparin binding domain of insulin-like growth factor binding protein-5 stimulates mesangial cell migration <i>C. K. Abrass, A. K. Berfield, and D. L. Andress</i>	F899
Bradykinin-stimulated cPLA <sub>2</sub> phosphorylation is protein kinase C dependent in rabbit CCD cells <i>M. A. Lal, C. R. J. Kennedy, P. R. Proulx, and R. L. Hébert</i>	F907
Bradykinin induces tubulin phosphorylation and nuclear translocation of MAP kinase in mesangial cells <i>A. A. Jaffa, B. S. Miller, S. A. Rosenzweig, P. S. Naidu, V. Velarde, and R. K. Mayfield</i>	F916
Secondary hyperparathyroidism downregulates lipoprotein lipase expression in chronic renal failure <i>N. D. Vaziri, X. Q. Wang, and K. Liang</i>	F925
PI-3-kinase and MAPK regulate mesangial cell proliferation and migration in response to PDGF <i>G. G. Choudhury, C. Karamitsos, J. Hernandez, A. Gentilini, J. Bardgette, and H. E. Abboud</i>	F931
Identification of Mg-transporting renal tubules and cells by ion microscopy imaging of stable isotopes <i>S. Chandra, G. H. Morrison, and K. W. Beyenbach</i>	F939
Glucocorticoids mediate a decrease in AVP-regulated urea transporter in diabetic rat inner medulla <i>J. D. Klein, S. R. Price, J. L. Bailey, J. D. Jacobs, and J. M. Sands</i>	F949
Chronic hypoxia induces proliferation of cultured mesangial cells: role of calcium and protein kinase C <i>A. Sahai, C. Mei, T. A. Pattison, and R. L. Tannen</i>	F954
BMP-2 and OP-1 exert direct and opposite effects on renal branching morphogenesis <i>T. D. Piscione, T. D. Yager, I. R. Gupta, B. Grinfeld, Y. Pei, L. Attisano, J. L. Wrana, and N. D. Rosenblum</i>	F961
Salt loading enhances rat renal Tx <sub>A</sub> <sub>2</sub> /PGH <sub>2</sub> receptor expression and TGF response to U-46,619 <i>W. J. Welch, B. Peng, K. Takeuchi, K. Abe, and C. S. Wilcox</i>	F976
Slit diaphragm-reactive nephritogenic MAb 5-1-6 alters expression of ZO-1 in rat podocytes <i>H. Kawachi, H. Kurihara, P. S. Topham, D. Brown, M. A. Shia, M. Orikasa, F. Shimizu, and D. J. Salant</i>	F984
Cyclooxygenase-2 in rat nephron development <i>M.-Z. Zhang, J.-L. Wang, H.-F. Cheng, R. C. Harris, and J. A. McKenna</i>	F994
Redistribution of villin to proximal tubule basolateral membranes after ischemia and reperfusion <i>D. Brown, R. Lee, and J. V. Bonventre</i>	F1003
Expression of peroxisome proliferator-activated receptors in urinary tract of rabbits and humans <i>Y. Guan, Y. Zhang, L. Davis, M. D. Breyer</i>	F1013
Localization of the high-affinity glutamate transporter EAAC1 in rat kidney <i>C. Shayakul, Y. Kanai, W.-S. Lee, D. Brown, J. D. Rothstein, and M. A. Hediger</i>	F1023

$\text{Cl}^-$  channels in basolateral renal medullary membranes  
XII. Anti-rbCIC-Ka antibody blocks MTAL  $\text{Cl}^-$  channels

*C. J. Winters, L. Zimniak, W. B. Reeves, and T. E. Andreoli*

F1030

AE anion exchanger mRNA and protein expression in vascular smooth muscle cells, aorta, and renal microvessels

*F. C. Brosius III, R. L. Pisoni, X. Cao, G. Deshmukh, D. Yannoukakos, A. K. Stuart-Tilley, C. Haller, and S. L. Alper*

F1039

Urea and methylamines have similar effects on aldose reductase activity

*M. B. Burg and E. M. Peters*

F1048

---

#### SPECIAL COMMUNICATION

$\text{H}^+$  secretion is inhibited by clostridial toxins in an inner medullary collecting duct cell line

*E. A. Alexander, T. Shih, and J. H. Schwartz*

F1054

---

#### RAPID COMMUNICATION

$\text{Na}^+$ -dependent purine nucleoside transporter from human kidney: cloning and functional characterization

*J. Wang, S.-F. Su, M. J. Dresser, M. E. Schaner, C. B. Washington, and K. M. Giacomini*

F1058

---

*Subject Index to Volume 42*

F1067

*Author Index to Volume 42*

F1077

